




LEX

Integrated
Light Systems

DORIKIMHI
Architectural Lighting





עיצוב: נופר קמחי
צילום: שי אפשטיין


FLEX TRACK

מערכת התאורה החדשה FLEX TRACK הכי מודולרית, הכי מתקדמת והכי הכי יפה. מציעה פסי צבירה גמישים שמתחברים לקירות אשר ניתן להתאים לכל חלל ולדייק לפי דרישה, ואלהים מצמידים את גופי התאורה השונים. ה-FLEX מהווה פס צבירה צף תקיר לקיר בעל שתי הדלקות אחת UP LIGHT – תאורה לינארית בלתי ישירה והשנייה פס מגנטי שמתחברים אליו אביזרי תאורה מסוגים שונים כגון ספוט לייט, תאורת הצפה ואפילו גופים תלויים.






Maximum stretching angle









Flex track installation way











Flex track installation way





Flex track installation way




Flex track installation way



Flex track installation way





DC48V
Flex track System

Pendant light



LPE-9311Y

System Power 7W

Colour Temp	Luminous
2700/3000K	823lm
4000/5000K	858lm

Light distribution for 3000K



LPE-9402Y

System Power 4.5W

Colour Temp	Luminous
2700/3000K	374lm
4000/5000K	385lm

Light distribution for 3000K






DC48V
Flex track System
Linear light

HTE-8016A

System Power 8W




Colour Temp	Luminous
2700/3000K	1100lm
4000/5000K	1133lm

Light distribution for **3000k**




HTE-8016B

System Power 16W




Colour Temp	Luminous
2700/3000K	2200lm
4000/5000K	2266lm

Light distribution for **3000k**



HTE-8016C

System Power 24W




Colour Temp	Luminous
2700/3000K	3300lm
4000/5000K	3399lm

Light distribution for **3000k**




DC48V
Flex track System

Linear light




HTE-8017A

System Power 8W




Colour Temp	Luminous
2700/3000K	1010lm
4000/5000K	1040lm

Light distribution for 3000k




HTE-8017B


System Power 16W



Colour Temp	Luminous
2700/3000K	2020lm
4000/5000K	2080lm

Light distribution for 3000k






DC48V
Flex track System

Pendant linear light




LPE-8007A

System Power 32W




Colour Temp	Luminous
2700/3000K	4400lm
4000/5000K	4532lm

Light distribution for 3000k




LPE-8007B

System Power 42W




Colour Temp	Luminous
2700/3000K	6600lm
4000/5000K	6798lm

Light distribution for 3000k



DC48V
Flex track System

Pendant linear light





LPE-8017A

System Power 32W

Colour Temp	Luminous
2700/3000K	4040lm
4000/5000K	4161lm

Light distribution for 3000k





LPE-8017B

System Power 42W

Colour Temp	Luminous
2700/3000K	6060lm
4000/5000K	6241lm

Light distribution for 3000k



גופי התאורה השונים המשתלבים במערכת
התאורה החדשה FLEX TRACK
מתחברים אליה בנקודות עגינה שונות
לאורך הכבלים הגמישים של הפטנט
הייחודי הזה, לפי צורך או סגנון ועם שני
כיווני הארה – לכיוון התקרה באור מרוכך
או לכיוון הקרקע באור ממוקד.

צילום: ארקדי ריסקין





DORIKIMHI
Architectural Lighting